Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

10

- 1 1. (Original) A method for provisioning services within a computer network, the method 2 comprising: 3 receiving an offer pertaining to a service, the offer being created by a provider 4 and transmitted from a first device to a second device within the computer network; 5 receiving identifying information regarding one or more invitees to be invited to 6 access the service of the offer, the one or more invitees being transmitted from the first 7 device to the second device; and in response to receipt of the offer and the identifying information regarding the 8 9 one or more invitees, providing an invitation to each of the one or more invitees to
- 2. (Original) A method as recited in claim 1, wherein the invitation is provided in the form of an email.

access the service of the offer based on the received identifying information.

- 3. (Original) A method as recited in claim 1, wherein the invitation is provided in the form
 of a message or an FTP (file transfer protocol) drop.
- 1 4. (Original) A method as recited in claim 1, further comprising:
- providing a unique URL address (Uniform Resource Locator) for each one or more invitees; and

4	providing the corresponding URL address in the each invitation to each invitee, w	vherein the
---	---	-------------

- 5 URL address points to one or more web pages which allows the each invitee to register
- 6 identifying information and accept terms for the offer.
- Original) A method as recited in claim 4,
- wherein the unique URL address is provided to the provider by a provisioning
- 3 service implemented on the second device, and
- 4 wherein the provider sends the each invitation to each of the one or more
- 5 invitees.
- 6. (Original) A method as recited in claim 4, wherein the each invitation is provided by a
- 2 provisioning service implemented on the second device.
- 7. (Original) A method as recited in claim 1, further comprising storing the offer and its
- 2 associated one or more invitees.
- 8. (Original) A method as recited in claim 7,
- wherein the offer and its associated one or more invitees are only stored when
- 3 the provider is authorized to create the offer, and
- wherein the invitation is only provided to the one or more each invitees when the
- 5 provider is authorized to create the offer.

۱.

- 9. (Original) A method as recited in claim 8, further comprising sending an error message to
- 2 the provider when the provider is not authorized to create the offer.
- 1 10. (Original) A method as recited in claim 1, further comprising presenting a registration
- 2 input form to a first invitee of the one or more invitees for the offer when the first invitee
- 3 accesses the invitation.
- 1 11. (Original) A method as recited in claim 10, wherein the identifying information received
- 2 for the first invitee is pre-filled into the presented registration form.
- 1 12. (Original) A method as recited in claim 10, wherein the invitation to the each one or more
- 2 invitees further allows the each one or more invitees to accept the invitation.
- 1 13. (Original) A method as recited in claim 12, further comprising presenting an acceptance
- 2 link to the first invitee when the invitee submits the registration form with identifying
- 3 information.
- 1 14. (Original) A method as recited in claim 12, further comprising:
- 2 setting up permissions between the first invitee and the service when the first
- 3 invitee registers and accepts the offer.

- 1 15. (Original) A method as recited in claim 14, wherein permissions are not set up when the first invitee is not authorized to accept the offer.
- 1 16. (Original) A method as recited in claim 12, further comprising:
- when the first invitee accepts the first offer, storing an indicator that the first invitee accepted the offer and the date of such acceptance;
- when the first invitee does not accept the offer, storing an indicator that the first invitee did not accept the offer,
- when the first invitee registers, storing an indicator regarding the registration and the date of such registration; and
- when the first invitee does not register, storing an indicator that the first invitee did not register.
- 1 17. (Original) A method as recited in claim 16, further comprising providing the indicator regarding the acceptance, the date of acceptance by the first invitee, and the indicator regarding registration to the provider when the provider queries regarding the first invitee or the offer.
- 1 18. (Original) A method as recited in claim 9, wherein the registration form is presented to
 2 the first invitee by presenting an invitation page having a registration link, the method further
 3 comprising:
- presenting an option link in the invitation page, wherein the option can be accessed by invitees which have already registered;

6	presenting an acceptance link to the first invitee when the invitee submits the
7	registration form with identifying information; and
8	presenting the acceptance link to the first invitee when the invitee selects the
9	option link and the first invitee is already registered.
1	19. (Original) A computer system operable to provisioning services within a computer
2	network, the computer system comprising:
3	one or more processors;
4	one or more memory, wherein at least one of the processors and memory are
5	adapted for:
6	receiving an offer pertaining to a service, the offer being created by a
7	provider and transmitted from a first device to a second device within the
8	computer network;
9	receiving identifying information regarding one or more invitees to be
10	invited to access the service of the offer, the one or more invitees being
11	transmitted from the first device to the second device; and
12	in response to receipt of the offer and the identifying information
13	regarding the one or more invitees, providing an invitation to each of the one or
14	more invitees to access the service of the offer based on the received identifying
15	information.
1	20. (Original) A computer system as recited in claim 19, wherein the invitation is provided in
2	the form of an email.

- 1 21. (Currently Amended) A method computer system as recited in claim 19, wherein the
- 2 invitation is provided in the form of a message or an FTP (file transfer protocol) drop.
- 22. (Original) A computer system as recited in claim 20, wherein the at least one of the
- 2 processors and memory are further adapted for:
- providing a unique URL address (Uniform Resource Locator) for each one or
- 4 more invitees; and
- 5 providing the corresponding URL address in the each email to each invitee,
- 6 wherein the URL address points to one or more web pages which allows the each invitee
- 7 to register identifying information and accept terms for the offer.
- 1 23. (Original) A computer system as recited in claim 22,
- wherein the unique URL address is provided to the provider by a provisioning
- 3 service implemented on the second device, and
- wherein the provider sends the each email to each of the one or more invitees.
- 1 24. (Original) A computer system as recited in claim 19, wherein the at least one of the
- 2 processors and memory are further adapted for storing the offer and its associated one or
- 3 more invitees.
- I 25. (Original) A computer system as recited in claim 19, wherein the at least one of the
- 2 processors and memory are further adapted for presenting a registration input form to a first
- 3 invitee of the one or more invitees for the offer when the first invitee accesses the invitation.

- 26. (Original) A computer system as recited in claim 25, wherein the identifying information
- 2 received for the first invitee is pre-filled into the presented registration form.
- 1 27. (Original) A computer system as recited in claim 25, wherein the invitation to the each
- 2 one or more invitees further allows the each one or more invitees to accept the invitation.
- 28. (Original) A computer system as recited in claim 27, wherein the at least one of the
- 2 processors and memory are further adapted for presenting an acceptance link to the first
- 3 invitee when the invitee submits the registration form with identifying information.
- 29. (Original) A computer system as recited in claim 27, wherein the at least one of the
- 2 processors and memory are further adapted for:
- 3 setting up permissions between the first invitee and the service when the first
- 4 invitee registers and accepts the offer.
- 1 30. (Original) A computer system as recited in claim 29, wherein permissions are not set up
- 2 when the first invitee is not authorized to accept the offer.
- 1 31. (Original) A computer system as recited in claim 28, wherein the at least one of the
- 2 processors and memory are further adapted for:
- 3 when the first invitee accepts the first offer, storing an indicator that the first
- 4 invitee accepted the offer and the date of such acceptance;

5	when the first invitee does not accept the offer, storing an indicator that the first
6	invitee did not accept the offer;
7	when the first invitee registers, storing an indicator regarding the registration and
8	the date of such registration; and
9	when the first invitee does not register, storing an indicator that the first invitee
10	did not register.
1	32. (Original) A computer system as recited in claim 31, wherein the at least one of the
2	processors and memory are further adapted for providing the indicator regarding the
3	acceptance, the date of acceptance by the first invitee, and the indicator regarding registration
4	to the provider when the provider queries regarding the first invitee or the offer.
1	33. (Original) A computer system as recited in claim 25, wherein the registration form is
2	presented to the first invitee by presenting an invitation page having a registration link,
3	wherein the at least one of the processors and memory are further adapted for:
4	presenting an option link in the invitation page, wherein the option can be
5	accessed by invitees which have already registered;
6	presenting an acceptance link to the first invitee when the invitee submits the
7	registration form with identifying information; and
8	presenting the acceptance link to the first invitee when the invitee selects the
9	option link and the first invitee is already registered.
1	34. (Original) A computer program product for provisioning services within a computer
2	network, the computer program product comprising:

9

1

2

3	at least one computer readable medium;
4	computer program instructions stored within the at least one computer readable
5	product configured for:
6	receiving an offer pertaining to a service, the offer being created by a
7	provider and transmitted from a first device to a second device within the
8	computer network;
9	receiving identifying information regarding one or more invitees to be
10	invited to access the service of the offer, the one or more invitees being
11	transmitted from the first device to the second device; and
12	in response to receipt of the offer and the identifying information
13	regarding the one or more invitees, providing an invitation to each of the one or
14	more invitees to access the service of the offer based on the received identifying
15	information.
1	35. (Original) A computer program product as recited in claim 34, wherein the invitation is
2	provided in the form of an email.
_	provided in the form of the chian.
	•
1	36. (Original) A method as recited in claim 34, wherein the invitation is provided in the form
2	of a message or an FTP (file transfer protocol) drop.
1	37. (Original) A computer program product as recited in claim 35, the at least one computer
2	readable product being further configured for:
3	providing a unique URL address (Uniform Resource Locator) for each one or
4	more invitees; and

5	providing the corresponding URL address in the each email to each invited
6	wherein the URL address points to one or more web pages which allows the each invite
7	to register identifying information and accept terms for the offer.
1	38. (Original) A computer program product as recited in claim 37,
2	wherein the unique URL address is provided to the provider by a provisioning
3	service implemented on the second device, and
4	wherein the provider sends the each email to each of the one or more invitees.
1	39. (Original) A computer program product as recited in claim 37, wherein the each email is
2	provided by a provisioning service implemented on the second device.
1	40. (Original) A computer program product as recited in claim 34, the at least one computer
2	readable product being further configured for storing the offer and its associated one or more
3	invitees.
4	41. (Original) A computer program product as recited in claim 40,
5	wherein the offer and its associated one or more invitees are only stored when
6	the provider is authorized to create the offer, and
7	wherein the invitation is only provided to the one or more each invitees when the
R	proxider is nutherized to exect the eff-

8

- 1 42. (Original) A computer program product as recited in claim 41, the at least one computer
- 2 readable product being further configured for sending an error message to the provider when
- 3 the provider is not authorized to create the offer.
- 1 43. (Original) A computer program product as recited in claim 34, the at least one computer
- 2 readable product being further configured for presenting a registration input form to a first
- 3 invitee of the one or more invitees for the offer when the first invitee accesses the invitation.
- 1 44. (Original) A computer program product as recited in claim 43, wherein the identifying
- 2 information received for the first invitee is pre-filled into the presented registration form.
- 1 45. (Original) A computer program product as recited in claim 43, wherein the invitation to
- 2 the each one or more invitees further allows the each one or more invitees to accept the
- 3 invitation.
- 1 46. (Original) A computer program product as recited in claim 34, the at least one computer
- 2 readable product being further configured for presenting an acceptance link to the first
- 3 invitee when the invitee submits the registration form with identifying information.
- 1 47. (Original) A computer program product as recited in claim 34, the at least one computer
- 2 readable product being further configured for:
- setting up permissions between the first invitee and the service when the first
- 4 invitee registers and accepts the offer.

1	48. (Original) A computer program product as recited in claim 47, wherein permissions ar
2	not set up when the first invitee is not authorized to accept the offer.
1	49. (Original) A computer program product as recited in claim 46, the at least one computer
2	readable product being further configured for:
3	when the first invitee accepts the first offer, storing an indicator that the first
4	invitee accepted the offer and the date of such acceptance;
5	when the first invitee does not accept the offer, storing an indicator that the first
6	invitee did not accept the offer;
7	when the first invitee registers, storing an indicator regarding the registration and
8	the date of such registration; and
9	when the first invitee does not register, storing an indicator that the first invitee
10	did not register.
1	50. (Original) A computer program product as recited in claim 49, the at least one computer
2	readable product being further configured for providing the indicator regarding the
3	acceptance, the date of acceptance by the first invitee, and the indicator regarding registration
4	to the provider when the provider queries regarding the first invitee or the offer.
I	51. (Currently Amended) A computer program product as recited in claim 43, wherein the
2	registration form is presented to the first invitee by presenting an invitation page having a

3

registration link, [[,]]the at least one computer readable product being further configured for:

ŀ	presenting an option link in the invitation page, wherein the option can be
5	accessed by invitees which have already registered;
;	presenting an acceptance link to the first invitee when the invitee submits the
•	registration form with identifying information; and
	presenting the acceptance link to the first invitee when the invitee selects the
	option link and the first invitee is already registered.